



Details	HSN Code	GST%
Lugs	85369090	28%
Glands	85389000	18%
Tools	84679900	18%



SIEMENS TYPE BRASS GLANDS COMMERCIAL SERIES



MAX O.D.	CAT NO.	RATE EACH	MAX O.D.	CAT NO.	RATE EACH
14.0	BC3/8"	30.00	30.0	BC1-1/4"	120.00
16.0	BC1/2"L	31.20	33.0	BC1-3/8"	158.40
16.0	BC1/2"H	40.80	38.0	BC1-1/2"	172.80
16.0	BC5/8"L	30.00	45.0	BC1-3/4"	218.40
16.0	BC5/8"H	39.60	49.0	BC2"	271.20
18.0	BC3/4"L	37.20	55.0	BC2-1/4"	343.20
18.0	BC3/4"H	50.40	61.0	BC2-1/2"	422.40
20.0	BC7/8"L	46.80	67.0	BC2-3/4"	487.20
20.0	BC7/8"H	57.60	73.0	BC3"	588.00
23.0	BC1"L	60.00	80.0	BC3-1/4"	628.80
23.0	BC1"H	91.20	83.0	BC3-1/2"	1008.00
23.0	BC1"SP	100.80	95.0	BC4"	1284.00
25.5	BC1-1/8"	103.20	105.0	BC4-1/2"	1980.00

DOUBLE COMPRESSION BRASS WEATHER PROOF GLANDS



MAX O.D.	CAT NO.	RATE EACH	MAX O.D.	CAT NO.	RATE EACH
12.0	BPW3/8"	127.20	30.0	BPW05	424.80
14.0	BPW1/2"	127.20	30.0	BPW05L	456.00
12.0	BPW001S	144.00	33.5	BPW06	648.00
15.5	BPW5/8"	156.00	33.5	BPW06S	669.60
16.5	BPW001	158.40	37.0	BPW07	722.40
16.5	BPW01S	172.80	41.0	BPW08	883.20
17.0	BPW01	187.20	46.0	BPW09	996.00
18.5	BPW01L	218.40	52.0	BPW010	1171.20
20.0	BPW02	252.00	60.0	BPW011	1728.00
20.0	BPW02S	259.20	67.0	BPW012	1944.00
23.0	BPW1"	230.40	78.0	BPW013	2664.00
23.0	BPW03	252.00	83.0	BPW014	2904.00
26.5	BPW04	348.00	93.0	BPW015	3996.00
26.5	BPW04L	405.60	105.0	BPW016	4632.00

SIEMENS TYPE BRASS GLANDS LONG NIPPLE



MAX O.D.	CAT NO.	RATE EACH	MAX O.D.	CAT NO.	RATE EACH
16.0	BC1/2"	45.60	25.5	BC1-1/8"	127.20
16.0	BC5/8"	45.60	30.0	BC1-1/4"	144.00
18.0	BC3/4"	55.20	33.0	BC1-3/8"	208.80
20.0	BC7/8"	64.80	38.0	BC1-1/2"	218.40
23.0	BC1"	115.20	45.0	BC1-3/4"	283.20
23.0	BC1"SPL	120.00	49.0	BC2"	350.40

DOUBLE COMPRESSION BRASS WEATHER PROOF NPT GLANDS




MAX O.D.	CAT NO.	RATE EACH	MAX O.D.	CAT NO.	RATE EACH
17.0	BPW1/2"-001	184.80	33.5	BPW1"-06	739.20
18.5	BPW1/2"-01	216.00	33.5	BPW11/4"	823.20
20.0	BPW1/2"-02	302.40	37.0	BPW11/4"-07	892.80
23.0	BPW1/2"-03	312.00	41.0	BPW11/2"-08	1017.60
18.5	BPW3/4"-01	249.60	46.0	BPW11/2"-09	1108.80
20.0	BPW3/4"-02	316.80	52.0	BPW11/2"-010	1346.40
23.0	BPW3/4"-03	319.20	56.0	BPW2"-011	1982.40
26.5	BPW3/4"-04	420.00	67.0	BPW21/2"-012	2167.20
26.5	BPW1"-04	458.40	78.0	BPW3"-013	3084.00
30.0	BPW1"-05	513.60			

SIEMENS TYPE BRASS GLANDS (SIBG) HEAVY DUTY





MAX O.D.	CAT NO.	RATE EACH	MAX O.D.	CAT NO.	RATE EACH
14.0	1612	48.00	38.0	3638	252.00
16.0	1616	64.80	45.0	4251	412.80
17.0	1619	60.00	50.0	5451	499.20
20.0	2119	93.60	53.0	5463	499.20
22.5	2125	91.20	62.0	6063	660.00
25.0	2925	172.80	67.0	6675	732.00
31.0	2932	144.00	79.0	7882	1068.00
38.0	2938	144.00	90.0	8490	1794.00

FLANGE TYPE BRASS GLANDS




MAX O.D.	CAT NO.	RATE EACH	MAX O.D.	CAT NO.	RATE EACH
16.5	FL5	86.40	38.0	FL00	268.80
19.0	FL4	100.80	42.0	FL38	312.00
20.5	FL3	115.20	46.0	FL001	367.20
24.5	FL2	141.60	53.0	FL002	432.00
30.0	FL1SP	156.00	59.0	FL003	523.20
30.0	FL1	192.00	67.0	FL0033	585.60
34.0	FL11	228.00	75.0	FL004	849.60
35.0	FL0	259.20	95.0	FL005	1159.20

DOUBLE COMPRESSION FLAMEPROOF BRASS CABLE GLANDS					
					
MAX O.D.	CAT NO.	RATE EACH	MAX O.D.	CAT NO.	RATE EACH
12.5-14	BPF1/2"	152.40	30.5-33	BPF06S	804.00
8.0-12	BPF001S	172.80	33.5-37	BPF07	864.00
14.5-16	BPF001	190.80	37.5-41	BPF08	1056.00
16.5-18	BPF01	216.00	41.5-46	BPF09	1140.00
12.5-16	BPF01S	204.00	46.5-52	BPF010	1344.00
16.5-18	BPF01L	252.00	46.5-52	BPF010L	1476.00
18.5-20	BPF02	302.40	52.5-60	BPF011	1932.00
18.5-20	BPF02S	312.00	60.5-66	BPF012	2172.00
20.5-23	BPF03	302.40	72.5-78	BPF013	2928.00
23.5-26	BPF04	417.60	66.5-72	BPF013S	2976.00
23.5-26	BPF04L	487.20	78.5-84	BPF014	3192.00
26.5-30	BPF05	508.80	84.5-92	BPF015	4200.00
26.5-30	BPF05L	547.20	92.5-104	BPF016	4860.00
30.5-33	BPF06	777.60			

RING TERMINALS					
					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-2.2	R-103	1.68	10-10.2	R-123	8.64
1.5-3.2	R-001	1.68	10-12.7	R-028	8.40
1.5-3.7	R-002	1.68	16-5.2	R-124	7.44
1.5-4.2	R-003	1.56	16-5.2	R-125	8.40
1.5-3.2	R-153	1.68	16-6.4	R-029	7.92
1.5-3.7	R-048	1.68	16-6.4	R-126	9.36
1.5-4.2	R-049	1.68	16-8.2	R-030	8.76
1.5-4.2	R-004	1.68	16-9.7	R-031	10.80
1.5-5.2	R-005	1.63	16-8.2	R-127	10.32
1.5-4.2	R-154	1.68	16-10.2	R-032	10.32
1.5-5.2	R-006	2.11	16-10.2	R-128	13.20
1.5-6.4	R-007	2.11	16-12.7	R-033	10.56
1.5-6.4	R-106	2.11	25-6.4	R-156	13.68
2.5-3.2	R-107	1.75	25-8.2	R-051	15.12
2.5-3.7	R-008	1.75	25-6.4	R-129	16.56
2.5-3.7	R-108	1.75	25-8.2	R-034	16.32
2.5-4.2	R-009	1.68	25-10.2	R-035	16.32
2.5-5.2	R-010	1.68	25-6.4	R-130	20.40
2.5-5.2	R-109	1.92	25-8.2	R-036	20.40
2.5-6.4	R-011	1.92	25-10.2	R-131	19.80
2.5-5.2	R-110	2.76	25-10.2	R-132	23.52
2.5-6.4	R-012	2.76	25-12.7	R-037	22.44
2.5-8.2	R-013	2.52	35-6.4	R-133	19.08
2.5-6.4	R-111	3.48	35-8.2	R-038	17.88
2.5-8.2	R-014	3.48	35-8.2	R-134	17.88
2.5-10.2	R-015	3.48	35-10.2	R-039	17.88
2.5-10.2	R-151	3.84	35-10.2	R-135	24.60
2.5-12.7	R-047	3.48	35-12.7	R-040	23.76
4-6-4.2	R-155	3.00	50-8.2	R-136	28.20
4-6-5.2	R-050	3.00	50-10.2	R-041	27.00
4-6-4.2	R-112	3.48	50-10.2	R-137	29.76
4-6-5.2	R-016	3.48	50-10.2	R-138	31.20
4-6-5.2	R-157	4.20	50-12.7	R-042	33.60
4-6-6.4	R-017	3.48	50-16.2	R-139	40.80
4-6-8.2	R-018	3.48	70-10.2	R-140	40.80
4-6-6.4	R-019	4.20	70-12.7	R-043	40.80
4-6-6.4	R-115	4.80	70-12.7	R-141	44.40
4-6-8.2	R-020	4.68	70-16.2	R-142	57.60
4-6-8.2	R-116	5.76	95-10.2	R-143	62.40
4-6-10.2	R-022	5.76	95-10.2	R-144	62.40
4-6-10.2	R-023	5.76	95-12.7	R-044	62.40
4-6-12.7	R-024	5.40	95-16.2	R-145	62.40
10-5.2	R-025	4.80	120-12.7	R-146	72.00
10-5.2	R-026	4.80	120-16.2	R-147	85.20
10-6.4	R-120	4.80	120-20.3	R-148	93.60
10-8.2	R-121	5.76	150-12.7	R-149	182.40
10-8.2	R-122	7.08	150-16.2	R-045	182.40
10-10.2	R-027	7.08	150-20.3	R-046	182.40

RING TERMINALS (INSULATED)					
					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-2.2	RI-052	1.92	2.5-6.4	RI-076	3.02
1.5-3.2	RI-054	1.92	2.5-8.2	RI-077	2.78
1.5-3.7	RI-055	1.92	2.5-6.4	RI-078	3.74
1.5-4.2	RI-056	1.80	2.5-8.2	RI-079	3.74
1.5-3.2	RI-057	1.92	2.5-10.2	RI-080	3.74
1.5-3.7	RI-058	1.92	2.5-10.2	RI-081	4.10
1.5-4.2	RI-059	1.92	2.5-12.7	RI-082	3.74
1.5-4.2	RI-061	1.92	4-6-4.2	RI-083	3.34
1.5-5.2	RI-062	1.87	4-6-5.2	RI-084	3.34
1.5-4.2	RI-063	1.92	4-6-4.2	RI-085	3.82
1.5-5.2	RI-065	2.35	4-6-5.2	RI-086	3.82
1.5-6.4	RI-066	2.35	4-6-5.2	RI-087	4.54
1.5-6.4	RI-067	2.35	4-6-6.4	RI-089	3.82
2.5-3.2	RI-068	2.02	4-6-8.2	RI-090	3.82
2.5-3.7	RI-069	2.02	4-6-6.4	RI-092	4.54
2.5-3.7	RI-070	2.02	4-6-6.4	RI-093	5.14
2.5-4.2	RI-071	1.94	4-6-8.2	RI-094	5.02
2.5-5.2	RI-072	1.94	4-6-8.2	RI-096	6.10
2.5-5.2	RI-073	2.18	4-6-10.2	RI-097	6.10
2.5-6.4	RI-074	2.18	4-6-10.2	RI-099	6.10
2.5-5.2	RI-075	3.02	4-6-12.7	RI-100	5.74

FORK TERMINALS					
					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.5	F-214	2.88	4-6-3.1	F-252	2.64
1.5-3.5	F-249	1.37	4-6-3.5	F-253	2.64
1.5-3.1	F-250	1.92	10-6.5	F-254	6.96
2.5-3.5	F-251	1.51	10-8.2	F-255	6.96
2.5-5.0	F-280	3.12			

FORK TERMINALS (DOUBLE GRIP)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.5	FD-934	3.84	4-6-3.1	FD-939	3.84
1.5-3.5	FD-935	2.28	4-6-3.5	FD-940	2.28
1.5-3.1	FD-936	2.88	10-6.5	FD-941	2.88
2.5-3.5	FD-937	2.64	10-8.2	FD-942	2.64
2.5-5.0	FD-938	4.18			

RING TONGUE FORK TERMINALS



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-3.1	RF-235	2.04	4-6-4.1	RF-243	3.60
1.5-3.6	RF-240	2.04	4-6-4.1	RF-245	4.20
1.5-3.1	RF-241	2.04	4-6-5.1	RF-246	4.20
1.5-3.6	RF-244	2.04	4-6-5.1	RF-247	6.00
1.5-4.1	RF-237	2.04	4-6-6.1	RF-248	5.04
1.5-4.1	RF-236	2.04	10-4.1	RF-865	5.76
1.5-5.1	RF-238	2.64	10-5.1	RF-866	5.76
1.5-6.1	RF-861	2.64	10-6.1	RF-867	5.76
2.5-3.1	RF-862	2.16	10-8.1	RF-868	6.96
2.5-3.6	RF-863	2.16	10-5.1	RF-869	9.24
2.5-4.1	RF-239	2.16	16-6.1	RF-870	9.84
2.5-5.1	RF-242	2.40	16-8.1	RF-871	10.56
2.5-6.1	RF-864	2.40	16-8.1	RF-872	11.76

RING FORK TERMINALS (DOUBLE GRIP)

SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-3.1	RFD-899	3.00	2.5-3.6	RFD-908	3.24
1.5-3.6	RFD-900	3.00	2.5-4.1	RFD-909	3.24
1.5-3.1	RFD-901	3.00	2.5-5.1	RFD-910	3.48
1.5-3.6	RFD-902	3.00	2.5-6.1	RFD-911	3.48
1.5-4.1	RFD-903	3.00	4-6-4.1	RFD-912	5.28
1.5-4.1	RFD-904	3.00	4-6-4.1	RFD-913	5.88
1.5-5.1	RFD-905	3.48	4-6-5.1	RFD-914	5.88
1.5-6.1	RFD-906	3.48	4-6-5.1	RFD-915	7.68
2.5-3.1	RFD-907	3.24	4-6-6.1	RFD-916	6.72

FORK TERMINALS (INSULATED)



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-3.5	FI-925	3.12	4-6-3.1	FI-930	2.98
1.5-3.5	FI-926	1.61	4-6-3.5	FI-931	2.98
1.5-3.1	FI-927	2.16	10-6.5	FI-932	7.49
2.5-3.5	FI-928	1.78	10-8.2	FI-933	7.49
2.5-5.0	FI-929	3.38			

END SEALING FERRULES



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
0.5-6	ES-08	0.34	6-10	ES-18	0.96
0.75-6	ES-09	0.34	6-12	ES-19	1.13
1-6	ES-10	0.34	6-15	ES-20	1.34
1-10	ES-11	0.53	10-12	ES-21	1.34
1.5-7	ES-12	0.48	10-15	ES-22	1.56
1.5-10	ES-13	0.53	10-18	ES-23	1.87
2.5-7	ES-14	0.53	16-12	ES-24	1.56
2.5-12	ES-15	0.77	16-15	ES-25	1.87
4-9	ES-16	0.72	16-18	ES-26	2.28
4-12	ES-17	0.89	25-18	EH-84	2.88

RING TERMINALS

SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-2.2	RD-435	2.64	2.5-6.4	RD-459	3.84
1.5-3.2	RD-437	2.64	2.5-8.2	RD-460	3.84
1.5-3.7	RD-438	2.64	2.5-6.4	RD-461	4.56
1.5-4.2	RD-439	2.64	2.5-8.2	RD-462	4.56
1.5-3.2	RD-440	2.64	2.5-10.2	RD-463	4.56
1.5-3.7	RD-441	2.64	2.5-10.2	RD-464	4.80
1.5-4.2	RD-442	2.64	2.5-12.7	RD-465	4.56
1.5-4.2	RD-444	2.64	4-6-4.2	RD-466	4.56
1.5-5.2	RD-445	2.64	4-6-5.2	RD-467	4.56
1.5-4.2	RD-446	2.64	4-6-4.2	RD-468	5.16
1.5-5.2	RD-448	3.12	4-6-5.2	RD-469	5.16
1.5-6.4	RD-449	3.12	4-6-5.2	RD-470	5.88
1.5-6.4	RD-450	3.12	4-6-6.4	RD-472	5.16
2.5-3.2	RD-451	2.88	4-6-8.2	RD-473	5.16
2.5-3.7	RD-452	2.88	4-6-6.4	RD-475	5.88
2.5-3.7	RD-453	2.88	4-6-6.4	RD-476	6.48
2.5-4.2	RD-454	2.88	4-6-8.2	RD-477	6.48
2.5-5.2	RD-455	2.88	4-6-8.2	RD-479	7.44
2.5-5.2	RD-456	2.88	4-6-10.2	RD-480	7.44
2.5-6.4	RD-457	2.88	4-6-10.2	RD-482	7.44
2.5-5.2	RD-458	3.84	4-6-12.7	RD-483	7.08

RING TONGUE FORK TERMINALS (INSULATED)



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-3.1	RFI-873	2.88	2.5-3.6	RFI-882	3.12
1.5-3.6	RFI-874	2.88	2.5-4.1	RFI-883	3.12
1.5-3.1	RFI-875	2.88	2.5-5.1	RFI-884	3.36
1.5-3.6	RFI-876	2.88	2.5-6.1	RFI-885	3.36
1.5-4.1	RFI-877	2.88	4-6-4.1	RFI-886	5.16
1.5-4.1	RFI-878	2.88	4-6-4.1	RFI-887	5.76
1.5-5.1	RFI-879	3.36	4-6-5.1	RFI-888	5.76
1.5-6.1	RFI-880	3.36	4-6-5.1	RFI-889	7.56
2.5-3.1	RFI-881	3.12	4-6-6.1	RFI-890	6.60

PIN TERMINALS (DOUBLE GRIP)

SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5	PD-26	2.52	4	PD-29	4.68
1.5	PD-42	2.52	4	PD-30	5.52
2.5	PD-27	2.62	6	PD-31	5.52
2.5	PD-28	2.69	6	PD-32	7.80

PIN TERMINALS



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5	P-9	1.51	10	P-7	5.16
1.5	P-35	1.51	16	P-8	7.68
2.5	P-1	1.56	25	P-86	18.24
2.5	P-2	1.63	35	P-87	20.28
4	P-3	2.88	50	P-88	32.40
4	P-4	3.72	70	P-94	50.40
6	P-5	3.12	95	P-95	64.80
6	P-6	5.40			

PIN TERMINALS (INSULATED)



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5	PI-17	1.75	4	PI-21	4.06
1.5	PI-40	1.75	6	PI-22	3.46
2.5	PI-18	1.82	6	PI-23	5.74
2.5	PI-19	1.90	10	PI-24	5.69
4	PI-20	3.22	16	PI-25	8.52

COPPER TUBE TERMINALS (HEAVY DUTY)



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-4.2	CT-711	2.70	95-8.4	CT-752	78.00
1.5-5.2	CT-538	2.70	95-10.5	CT-359	78.00
1.5-6.4	CT-539	2.70	95-13	CT-561	78.00
2.5-4.2	CT-388	2.88	95-15	CT-796	80.40
2.5-5.2	CT-540	2.88	95-17	CT-672	80.40
2.5-6.5	CT-541	2.88	95-21	CT-673	80.40
2.5-8.4	CT-762	3.36	120-8.5	CT-782	108.00
4-4.2	CT-764	4.08	120-10.5	CT-700	108.00
4-5.2	CT-389	4.08	120-12.7	CT-241	108.00
4-6.5	CT-543	4.08	120-15	CT-797	108.00
4-8.4	CT-763	4.08	120-17	CT-546	108.00
6-5.2	CT-390	5.16	120-21	CT-798	108.00
6-6.5	CT-544	5.16	150-8.4	CT-783	146.40
6-8.4	CT-545	5.16	150-10.5	CT-676	146.40
6-10.5	CT-854	6.24	150-12.7	CT-242	146.40
10-5.2	CT-822	6.00	150-15	CT-799	146.40
10-6.5	CT-353	6.00	150-17	CT-564	146.40
10-8.4	CT-547	6.00	150-21	CT-565	146.40
10-10.5	CT-855	9.60	185-10.5	CT-652	193.20
10-12.7	CT-856	9.60	185-12.7	CT-639	193.20
16-5.2	CT-696	7.92	185-15	CT-800	193.20
16-6.4	CT-354	7.92	185-17	CT-243	193.20
16-8.4	CT-549	7.92	185-21	CT-704	193.20
16-10.5	CT-657	12.96	240-10.5	CT-787	283.20
16-12.7	CT-858	12.96	240-12.7	CT-705	283.20
25-6.4	CT-355	11.40	240-15	CT-801	283.20
25-8.4	CT-551	11.40	240-17	CT-244	283.20
25-10.5	CT-552	12.84	240-21	CT-567	283.20
25-12.7	CT-765	12.84	300-10.5	CT-568	438.00
35-6.5	CT-542	19.80	300-12.7	CT-597	438.00
35-8.4	CT-356	19.80	300-15	CT-802	438.00
35-10.5	CT-554	19.80	300-17	CT-245	438.00
35-12.7	CT-853	19.80	300-21	CT-569	438.00
50-6.4	CT-746	33.60	400-17	CT-246	672.00
50-8.4	CT-357	33.60	400-21	CT-571	672.00
50-10.5	CT-556	33.60	500-17	CT-572	906.00
50-12.7	CT-698	33.60	500-21	CT-247	906.00
50-17	CT-699	37.20	630--	CT-761	1285.20
70-6.4	CT-748	55.20	630-17	CT-807	1285.20
70-8.4	CT-557	55.20	630-21	CT-248	1285.20
70-10.5	CT-358	55.20	800--	CT-599	2184.00
70-13	CT-559	55.20	800-21	CT-808	2184.00
70-15	CT-795	57.60	1000--	CT-590	2664.00
70-17	CT-780	57.60	1000-21	CT-809	2664.00
70-21	CT-781	57.60			

RING TONGUE FORK TE

SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-2.2	RD-435	2.64	2.5-6.4	RD-459	3.84
1.5-3.2	RD-437	2.64	2.5-8.2	RD-460	3.84
1.5-3.7	RD-438	2.64	2.5-6.4	RD-461	4.56
1.5-4.2	RD-439	2.64	2.5-8.2	RD-462	4.56
1.5-3.2	RD-440	2.64	2.5-10.2	RD-463	4.56
1.5-3.7	RD-441	2.64	2.5-10.2	RD-464	4.80
1.5-4.2	RD-442	2.64	2.5-12.7	RD-465	4.56
1.5-4.2	RD-444	2.64	4-6-4.2	RD-466	4.56
1.5-5.2	RD-445	2.64	4-6-5.2	RD-467	4.56
1.5-4.2	RD-446	2.64	4-6-4.2	RD-468	5.16
1.5-5.2	RD-448	3.12	4-6-5.2	RD-469	5.16
1.5-6.4	RD-449	3.12	4-6-5.2	RD-470	5.88
1.5-6.4	RD-450	3.12	4-6-6.4	RD-472	5.16
2.5-3.2	RD-451	2.88	4-6-8.2	RD-473	5.16
2.5-3.7	RD-452	2.88	4-6-6.4	RD-475	5.88
2.5-3.7	RD-453	2.88	4-6-6.4	RD-476	6.48
2.5-4.2	RD-454	2.88	4-6-8.2	RD-477	6.48
2.5-5.2	RD-455	2.88	4-6-8.2	RD-479	7.44
2.5-5.2	RD-456	2.88	4-6-10.2	RD-480	7.44
2.5-6.4	RD-457	2.88	4-6-10.2	RD-482	7.44
2.5-5.2	RD-458	3.84	4-6-12.7	RD-483	7.08

COPPER TUBE TERMINALS (LIGHT DUTY)



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5-5.2	CT-05	3.00	120-12.7	CT-22	62.40
4-6-6.2	CT-06	3.60	120-16.2	CT-23	62.40
6-6.2	CT-07	5.28	150-10.2	CT-24	85.20
10-6.2	CT-08	5.88	150-12.7	CT-25	85.20
16-6.2	CT-09	8.28	150-16.2	CT-26	85.20
25-6.2	CT-10	15.00	185-12.7	CT-27	124.80
35-6.2	CT-11	16.80	185-16.2	CT-28	124.80
35-8.2	CT-12	16.80	225-16.2	CT-231	174.00
50-6.2	CT-13	22.20	240-16.2	CT-29	180.00
50-8.2	CT-14	22.20	240-20.3	CT-30	180.00
50-10.2	CT-15	22.20	300-16.2	CT-31	242.40
70-8.2	CT-16	35.52	300-20.3	CT-32	242.40
70-10.2	CT-17	35.52	400-20.3	CT-33	364.80
70-12.7	CT-18	35.52	500-20.3	CT-34	516.00
95-10.2	CT-19	47.40	630-20.3	CT-35	717.60
95-12.7	CT-20	47.40	800	CT-62	1125.60
120-10.2	CT-21	62.40	1000	CT-76	2088.00

COPPER TUBE TERMINALS (LONG BARREL)



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
25-8.2	CT-82	16.20	150-12.7	CT-88	193.20
35-8.2	CT-83	27.36	185-12.7	CT-89	268.80
50-8.2	CT-84	49.80	240-16.2	CT-90	379.20
70-10.5	CT-85	76.80	300-16.2	CT-91	517.20
95-12.7	CT-86	117.60	400-20.3	CT-92	781.20
120-12.7	CT-87	156.00	630-20.3	CT-94	1740.00

COPPER REDUCER TERMINALS



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5	WPC-1	11.76	70	WPC-27	74.40
2.5	WPC-7	11.04	70	WPC-6	110.40
4	WPC15	11.76	70	WPC-28	122.40
4	WPC-16	11.04	95	WPC-29	124.80
6	WPC-17	11.40	95	WPC-31	100.80
6	WPC-18	10.56	95	WPC-32	144.00
10	WPC-19	14.16	120	WPC-34	127.20
10	WPC-20	12.48	120	WPC-35	177.60
10	WPC-21	15.48	150	WPC-10	264.00

SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
10	WPC-22	14.28	150	WPC-37	204.00
16	WPC-23	25.20	185	WPC-30	326.40
16	WPC-24	25.20	185	WPC-38	266.40
16	WPC-2	20.16	225	WPC-39	432.00
25	WPC-25	29.76	240	WPC-44	499.20
25	WPC-3	39.60	240	WPC-43	420.00
35	WPC-4	42.00	300	WPC-45	552.00
50	WPC-26	50.40	300	WPC-47	468.00
50	WPC-5	117.60	400	WPC-101	876.00

Heavy Duty In Line Connectors



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-15	ILC-453	2.04	150-55	ILC-54	117.60
1.5-22	ILC-41	3.18	185-75	ILC-55	187.20
2.5-15	ILC-454	2.04	185-65	ILC-31	182.40
4-15	ILC-3	3.12	240-89	ILC-32	276.00
4.6-15	ILC-455	3.48	240-80	ILC-56	258.00
6-15	ILC-4	3.12	300-95	ILC-33	408.00
10-20	ILC-460	5.16	300-85	ILC-57	358.80
16-20	ILC-6	5.88	400-115	ILC-34	642.00
25-32	ILC-24	12.60	400-90	ILC-58	513.60
35-36	ILC-25	21.00	500-117	ILC-35	828.00
50-40	ILC-26	32.40	500-100	ILC-59	714.00
70-50	ILC-27	55.20	630-120	ILC-36	1104.00
70-40	ILC-51	43.20	630-110	ILC-61	1008.00
95-60	ILC-28	87.60	800-150	ILC-42	1764.00
95-45	ILC-52	67.20	1000-170	ILC-43	2640.00
120-65	ILC-29	110.40	1.5	ILCI-63	2.40
125-45	ILC-53	82.80	2.5	ILCI-64	2.76
150-70	ILC-30	146.40	4-6	ILCI-65	3.96

ALUMINIUM IN-LINE CONNECTORS



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5-16	ILA-145	1.20	120-65	ILA-9	15.48
2.5-16	ILA-6	1.20	150-70	ILA10	#N/A
4-16	ILA-5	1.20	185-75	ILA-11	27.36
6-16	ILA-13	1.20	225-85	ILA-147	38.40
10-20	ILA-14	1.56	240-90	ILA-16	43.80
10-20	ILA-146	1.44	300-100	ILA-17	60.24
16-26	ILA-4	2.28	400-115	ILA-18.	93.60
25-35	ILA-3	2.76	500-125	ILA-19	132.00
35-40	ILA-2	3.72	630-140	ILA-20	177.60
50-45	ILA-12	5.64	800-160	ILA-148	216.00
70-55	ILA-1	10.20	1000-210	ILA-149	372.00
95-60	ILA-15	11.40			

ALUMINIUM TUBE TERMINALS



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5-3	AT-151	1.56	70-12	AT-226	11.52
2.5-3.5	AT-309	1.56	95-10	AT-227	12.48
4-4	AT-155	1.56	95-12	AT-228	12.48
4-5	AT-317	1.68	95-16	AT-229	12.48
6-5	AT-158	1.68	120-10	AT-257	18.12
6-6	AT-313	1.68	120-12	AT-230	18.12
10-4	AT-159	2.34	120-16	AT-231	18.12
10-6	AT-214	2.34	150-10	AT-258	23.04
10-8	AT-215	2.34	150-12	AT-232	23.04
16-6	AT-252	2.88	150-16	AT-233	23.04
16-8	AT-216	2.88	185-10	AT-311	29.40
16-10	AT-217	2.88	185-12	AT-234	29.40
25-6	AT-253	3.60	185-16	AT-235	29.40
25-8	AT-218	3.60	225-12	AT-320	40.80
25-10	AT-219	3.60	240-12	AT-236	49.20
25-12	AT-220	3.60	240-16	AT-237	49.20
35-6	AT-254	5.04	240-20	AT-238	49.20
35-8	AT-221	5.04	300-16	AT-300	69.00
35-10	AT-222	5.04	300-20	AT-259	69.00
50-8	AT-255	7.56	400-20	AT-260	99.84
50-10	AT-312	7.56	500-20	AT-296	156.00
50-12	AT-224	7.56	630-20	AT-261	192.00
70-8	AT-256	11.52	800	AT-318	288.00
70-10	AT-225	11.52	1000	AT-319	468.00

ALUMINIUM ALLOY BIMETALLIC TERMINALS



SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
10-6	ATB-1	4.56	120-12	ATB-16	27.60
10-8	ATB-2	4.56	150-12	ATB-17	34.80
16-6	ATB-3	5.40	150-16	ATB-18	34.80
16-8	ATB-4	5.28	185-12	ATB-19	44.40
25-8	ATB-5	7.32	185-16	ATB-20	44.40
25-10	ATB-6	7.32	225-12	ATB-21	62.40
35-8	ATB-7	9.00	240-12	ATB-22	72.00
35-10	ATB-8	9.00	240-16	ATB-23	72.00
50-8	ATB-9	12.24	300-16	ATB-24	97.20
50-10	ATB-10	12.24	300-20	ATB-25	97.20
70-10	ATB-11	18.36	400-20	ATB-26	139.20
70-12	ATB-12	18.36	500-20	ATB-27	216.00
95-10	ATB-13	19.44	630-20	ATB-28	276.00
95-12	ATB-14	19.44	800	ATB-29	408.00
120-10	ATB-15	27.60	1000	ATB-30	660.00

ALUMINIUM TUBE TERMINALS(Long Barrel)					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5-3	AT-551	2.04	95-12	AT-528	15.84
2.5-3.5	AT-509	2.04	95-16	AT-529	15.84
4.4	AT-555	2.04	120-10	AT-557	23.04
3.3	AT-517	2.16	120-12	AT-530	23.04
6.5	AT-558	2.16	120-16	AT-531	23.04
6.6	AT-513	2.16	150-10	AT-658	29.28
10.6	AT-514	2.76	150-12	AT-532	29.28
10.8	AT-515	2.76	150-16	AT-533	29.28
16.6	AT-552	3.60	185-10	AT-511	36.12
16.8	AT-516	3.60	185-12	AT-534	36.12
16.10	AT-617	3.60	185-16	AT-535	36.12
25-8	AT-518	4.20	225-12	AT-620	51.84
25-10	AT-519	4.20	240-12	AT-536	62.52
25-12	AT-520	4.20	240-16	AT-537	62.52
35-8	AT-521	6.24	240-20	AT-538	62.52
35-10	AT-522	6.24	300-16	AT-500	87.60
50-8	AT-655	9.48	300-20	AT-559	87.60
50-10	AT-512	9.48	400-20	AT-560	126.84
50-12	AT-524	9.48	500-20	AT-596	198.12
70-8	AT-556	14.64	630-20	AT-561	243.84
70-10	AT-525	14.64	800	AT-618	365.76
70-12	AT-526	14.64	1000	AT-619	594.36
95-10	AT-527	15.84			

ALUMINIUM PIN/RE					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5	WPA-1	5.04	70	WPA-28	34.20
2.5	WPA-7	4.80	95	WPA-29	41.28
4	WPA-15	4.92	95	WPA-8	46.80
6	WPA-16	4.80	95	WPA-31	37.20
6	WPA-17	4.92	95	WPA-32	46.80
6	WPA-18	4.80	120	WPA-33	58.80
10	WPA-19	6.24	120	WPA-34	54.72
10	WPA-20	6.00	120	WPA-35	62.40
10	WPA-21	6.00	120	WPA-36	69.60
10	WPA-22	6.00	150	WPA-10	78.00
16	WPA-23	9.12	150	WPA-37	78.00
16	WPA-24	9.12	185	WPA-30	93.60
16	WPA-2	8.16	185	WPA-38	90.00
25	WPA-25	11.04	225	WPA-39	118.80
25	WPA-3	12.24	225	WPA-46	158.40
35	WPA-4	12.96	225	WPA-42	148.80
50	WPA-26	18.00	240	WPA-44	163.20
50	WPA-5	27.60	240	WPA-43	150.00
70	WPA-27	27.60	300	WPA-45	176.40
70	WPA-6	32.40	300	WPA-47	164.40

END SEALING FERRULES [INSULATED]					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
0.5	ESI0.5-8	0.62	2.5	ESI2.5-12	1.08
0.75	ESI0.75-8	0.62	4	ESI4-10	1.32
1.00	ESI1-8	0.65	4	ESI4-12	1.68
1.00	ESI1-10	0.72	6	ESI6-12	2.04
1.5	ESI1.5-8	0.74	10	ESI10-12	2.64
1.5	ESI1.5-10	0.84	16	ESI16-12	3.24
2.5	ESI2.5-8	0.90	25	ESI25-16	5.04
2.5	ESI2.5-10	0.96	35	ESI35-16	6.24

OPEN CLOSE SOLDERING RING TERMINALS					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-4.2	OC-71	1.68	95-12.7	OC-81	91.20
2.5-5.2	OC-72	1.80	120-12.7	OC-82	117.60
4-5.2	OC-73	2.88	150-12.7	OC-83	148.80
6-6.5	OC-74	3.36	185-16.2	OC-84	232.80
10-6.5	OC-75	4.56	225-16.2	OC-85	266.40
16-8.2	OC-76	8.04	240-16.2	OC-86	324.00
25-8.2	OC-77	13.92	300-20.3	OC-87	444.00
35-8.2	OC-78	18.60	400-20.3	OC-88	672.00
50-10.2	OC-79	32.40	500-20.3	OC-89	744.00
70-10.2	OC-80	50.40	625-20.3	OC-90	924.00

SNAP ON TERMINALS											
SIZE	CAT	RATE	SIZE	CAT	RATE	SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1	8368	2.93	1.5	8355	3.72	2.5	8331	4.92	-	8214	5.64
-	8369	2.93	1.5	8197	3.29	2.5	8347	3.72	-	8246	6.24
-	8370	2.93	1.5	8336	2.86	2.5	8348	5.28	1.2	8693	2.66
1.5	8360	4.63	1.5	8353	4.18	2.5	8349	3.72	1.2	8694	2.06
1.5	8361	5.83	1.5	8356	2.93	2.5	8350	5.28	1.2	8695	1.87
1.5	8351	3.46	1.5	8357	3.72	2.5	8363	4.42	1.2	8697	1.20
1.5	8352	4.92	1.5	8362	3.91	2.5	8365	6.24	4.00	8476	6.96
1.5	8358	2.93	1.5	8364	2.64	2.5	8366	6.24			
1.5	8359	3.96	1.5	8367	9.60	2.5	8473	6.96			
1.5	8324	2.71	1.5	8661	4.80	2.5	8474	8.76			
1.5	8325	3.60	2.5	8178	5.30	2.5	8475	8.76			
1.5	8354	2.93	2.5	8245	4.56	2.5	8477	11.40			

BI-METALLIC TERMINALS											
SIZE	CAT	RATE	SIZE	CAT	RATE	SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm	NO.	EACH	Sq.mm.	NO.	EACH	Sq.mm	NO.	EACH	Sq.mm.	NO.	EACH
16	BMT-16	151	70	BMT-70	221	185	BMT-185	570	500	BMT-500	1334
25	BMT-25	156	95	BMT-95	221	240	BMT-240	622	630	BMT-630	2720
35	BMT-35	171	120	BMT-120	350	300	BMT-300	700	800	BMT-800	5077
50	BMT-50	221	150	BMT-150	389	400	BMT-400	1270	1000	BMT-1000	5077